CENTRAL INTELLIGENCE AGENCY

This Document contains information affecting the National Defense of the United States, within the meaning of Title 18, Sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law. The reproduction of this form is prohibited.

		SECURITY INFORMAT	OFFICIALS ONLY	50X1-HUM
COUNTR	Y	East Germany	REPORT	
SUBJECT		Doeberitz Airfield	DATE DISTR. 31	March 1953
)00JEC1			NO. OF PAGES 2	
DATE O	F INFO.		REQUIREMENT NO. RD	50X1-HUM
PLACE	ACQUIRE	ED	REFERENCES	
* ,				
		THE SOURCE EVALUATIONS IN THI THE APPRAISAL OF CONTE (FOR KEY SEE RI	NT IS TENTATIVE.	50X1-HUM
	٠ .	turnet Count		
	A	ircraft Count		
	1.	105 IL 10's 4 LI 2		
		4 PO 2		
	1.7	pproximately 60 aircraft were parked ith the main road; a further 20 - 25 on the south side north of the ha	aircrait were parked on the we-	eld parallel st side, and
	A	ircraft Color Markings	•	•
	2. 0 a	ne aircraft had lly, a blue vertical stripe on the	blue on the side fuselage rear side fuselage.	and, addition⊷ 50X1-HUM
	F	lying Activity		
	W h	Ouring the period 15 - 30 December of vere observed. On the 26 December shours were made	ingle ilights between 1120 hours which flew around in the local a	res. Poor
	W	veather conditions prevailed through	out the period.	50X1-HUM
	_	<u>[echnical</u>		
	1 1 1	A technical unit comprising 30 office piston engine repair and servicing we from two further technical first lire to an IL 10 regiment. The commanding Lieutenant Colonel.	e servicing units each of which	are attached
				Ñ
			'	7
		CECOUR (CONTRO	U.S. OFFICIALS ONLY	

(Note: Washington Distribution Indicated By "X"; Field Distribution By "#".)

CHARLES /COMPON II C	OPPRINT	CRIT IF	
SECRET/CONTROL - U.S.	OFFICIAL	ONLI	

Aircraft Shelters

The aircraft shelters on the north and west side of the airfield are now completed. Each consists of a side wall of wooden construction approximately 3 meters high. banked on the outside with earth and sand, and a 3 meter high rear wall of similar construction. The two side walls are angled at approximately 20 degrees to the rear wall and the end of each is spaced about one and a half meters from the rear wall. Approximately 30 were observed on the north side of the airfield and 20 have been completed on the south-east side. From eye level the part of the aircraft visible when parked in the shelter consists in most cases of the upper fuselage, cabin and airscrew. Between each shelter there is a gap of approximately 30 - 35 meters where ground servicing equipment and practice bombs are stored. These stores seem to be covered with a form of portable camouflage roofing which appears to be a form of braced tarpaulin or netting.

Radio Installation

6. An Adcock radio was observed on the south side of the airfield, between the hangars and administrative buildings. The four steel masts were estimated to be 10 - 12 meters high. No D/F hut could be seen from the point of observation.

Supply

7. Munitions and practice bombs are situated in bunkers mainly on the west side of the airfield. There are four fuel dumps on the airfield with a capacity for 400,000 liters, but the aircraft are generally refuelled from one of the 9 mobile tankers which have a capacity of 3,000 liters.

8.	AA positions, each containing 4 light AA gums have been dug into catrenches on the west and south-west side of the airfield.	mouflaged								
		;								
		50X1-HUN								

SECRET/CONTROL - U.S. OFFICIALS ONLY

CENTRAL INTELLIGENCE AGENCY

INFORMATION REPORT

This Document contains information affecting the National Defense of the United States, within the meaning of Title 18, Sections 793 and 794, of the U.S. Code, as amended. Its transmission or reveilation of its contents to or receipt by an unauthorized person is prohibited by law. The reproduction of this form is prohibited.

	SECURITY INI		ALS UNLY	50X1-HUN
COUNTRY	Czechoslovakia		REPORT	
SUBJECT	Air Raid Shelters in Prague		DATE DISTR.	24 March 1953
			NO. OF PAGES	1
DATE OF INFO.			REQUIREMENT NO. RD	
PLACE ACQUIRED			REFERENCES	50X1-HUM
		·		
			<u> </u>	
	THE SOURCE EVALUATIONS IN THE APPRAISAL OF CO (FOR KEY S	INTENT IS TENTA	E DEFINITIVE. TIVE.	50X1-HUM

- 1. A large air-raid shelter is being finished in the Kosire district of Prague, in Plzenska Trida near Smichov. The hill behind the cemetery has been tunneled through to Jinonice. The entrance to the shelter is through the old cemetery.
- 2. There is a second shelter in Belehradska Trida, in the Vinohrady district, about 300 meters from the Vinohrady railroad station, below the crest of the hill. This second shelter is to serve the Czech General Staff, and it has been very comfortably equipped.
- 3. Both shelters were built by army engineers with the aid of carefully select 50X1-HUM



SECRET/CONTROL U.S. OFFICIALS ONLY

STATE	х	: ヿ	ARMY .	Y	NAVY	~	AIR		FBI		1.50			
							7.11	Х	ro;	L	AEC	<u> </u>	ORR EV x	
Notes	Washing	iton	Distribution	Indic	ated By: "X"	; Field	Distribution	Bu "	4"					